

Cole-Parmer®

Cole-Parmer® Electric Bunsen Mantle - BB-200 & CN-200 Analogue Controller

- Conical shaped heating element directs radiant
- Top cowl deflects heat away from your hand
- Air circulation from the vented housing keeps the base cool enough to hold during operation
- Burner consumes only 400W of power
- Recommended controller is the CN-200



Bunsen Burner BB-200



Analogue Controller CN-200



Bunsen Burner BB-200

Cole-Parmer® Electric Bunsen Mantle - BB-200 & CN-200 Analogue Controller

Cole-Parmer® Electric Bunsen BB-200, combines the advantages of a regular gas burner with the clean, easy operation of our Electromantles. It is corrosion-resistant and has a cool-to-the-touch base.

Radiation from the heater is directed upwards to a focal point. The Electric Bunsen is ideal for heating test tubes, crucibles, small flasks and beakers, regardless of their shape.

CN-200 Analogue Controller

The CN-200 analogue controller has been designed to provide a comprehensive answer to control the heating of resistive loads such as Electric Bunsens, Electromantles, Heating Tapes and Cords for bench top operation delivering up to a maximum of 800 Watts. A rod support clamp is provided at the rear of the controller to take a standard 12.5mm diameter rod.

An accessory extension mains lead is available where remote operation is required e.g. in a fume extraction unit.

Technical Specification

Specification	BB-200
Flask capacity	25ml
Material	Stainless-steel
Max temperature range	800°C to 1000°C
Shipping weight, kg	0.5
Dimensions (d x h), mm	120 x177

Ordering Information

Description (without controller)	Ordering Number	Series No.	Model No.	Legacy Sku.
Electric Bunsen & MC5 Controller 230V UK & EU	36135-02	BB-200	BB-200-CN	BA6101/C
Electric Bunsen & MC5 Controller 115V US	36135-03	BB-200	BB-200-CN-115	BA6101/CX1
Electric Bunsen 230V UK & EU	36135-01	BB-200	BB-200	BA6101
Electric Bunsen 115V US	36135-04	BB-200	BB-200-115	BA6101X1



WolfLabs

Pricing on any accessories shown can be found by keying the part number into the search box on our website.

The specifications listed in this brochure are subject to change by the manufacturer and therefore cannot be guaranteed to be correct. If there are aspects of the specification that must be guaranteed, please provide these to our sales team so that details can be confirmed.

www.wolflabs.co.uk

Tel : 01759 301142

Fax : 01759 301143

sales@wolflabs.co.uk

Please contact us if this literature doesn't answer all your questions.